

QUESTIONS & ANSWERS

Kill your exam at first Attempt



Enterasys

2B0-019

ES Policy Enabled Networking

<https://killexams.com/pass4sure/exam-detail/2B0-019>



authenticates

- B. It filters or blocks users who are not registered with the RADIUS server
- C. It matches a MAC address with a specific user and updates an active-edge switches forwarding database
- D. It filters unwanted BPDUs from flooding the RADIUS server

Answer: A

QUESTION: 49

Enterasys Port Web Authentication:

- A. Supports on-demand policy assignment only
- B. Is no longer supported in the Enterasys product line
- C. Allows users to log in via an interactive HTML page
- D. Provides guest networking by assigning unauthenticated users to a secure VLAN

Answer: C

QUESTION: 50

The Port Web Authentication URL in NetSight Atlas Policy Manager:

- A. Is a link to an internet proxy server
- B. Must use secureharbour as the http:// address
- C. Is accessed automatically via the users NT login
- D. Is an interactive HTML page which is stored locally on the switch

Answer: D

QUESTION: 51

EAPoL (Extensible Authentication Protocol Over LANs) frames:

- A. Are VLAN-tagged
- B. Are not VLAN-tagged
- C. Are used by a NAS to communicate with a RADIUS server
- D. Cannot be encrypted

Answer: B

QUESTION: 52

In an 802.1X environment, if an end-station does not support authentication, then:

- A. The authenticator provides a temporary virtual connection to the RADIUS server in case the station is a valid user
- B. The authenticators controlled port will remain in an unauthorized state, preventing the user from accessing network resources
- C. It makes no difference because the switch will authenticate the station by default
- D. The switch will give the user a Guest role with limited network access

Answer: B

QUESTION: 53

Regarding roles in NetSight Atlas Policy Manager, which of the following is true?

- A. A ports default role takes precedence over its current role
- B. Users may inherit a ports default role if authentication fails
- C. A ports default role and current role must match
- D. Newly created roles must be associated with a default VLAN

Answer: B

For More exams visit <https://killexams.com/vendors-exam-list>



Kill your exam at First Attempt....Guaranteed!