

QUESTIONS & ANSWERS

Kill your exam at first Attempt



LPI

303-200

LPIC-3 Exam 303: Security, version 2.0

<https://killexams.com/pass4sure/exam-detail/303-200>



QUESTION: 54

Which of the following commands adds a new user `usera` to FreeIPA?

- A. `useradd usera --directory ipa --gecos *User A"`
- B. `ldap- useradd --H ldaps://ipa-server CN=UserA --attribs "Firstname: User: Lastname: A"`
- C. `ipa-admin create user --account usera -_fname User --iname A`
- D. `ipa user-add usera --first User --last A`
- E. `ipa-user- add usera --name "User A"`

Answer: D

QUESTION: 55

Which of the following keywords are built-in chains for the iptables nat table? (Choose THREE correct answers)

- A. OUTPUT
- B. MASQUERADE
- C. PROCESSING
- D. POSTROUTING
- E. PREROUTING

Answer: A, D, E

QUESTION: 56

Which of the following statements are true regarding the certificate of a Root CA?

- A. It is a self-signed certificate.
- B. It does not include the private key of the CA
- C. It must contain a host name as the common name.
- D. It has an infinite lifetime and never expires.

E. It must contain an X509v3 Authority extension.

Answer: A, B, E

QUESTION: 57

Which DNS label points to the DANE information used to secure HTTPS connections to <https://www.example.com/>

- A. example.com
- B. dane.www.example.com
- C. soa.example.com
- D. www.example.com
- E. _443_tcp.www.example.com

Answer: E

QUESTION: 58

Which of the following database names can be used within a Name Service Switch (NSS) configuration file? (Choose THREE correct answers).

- A. host
- B. shadow
- C. service
- D. passwd
- E. group

Answer: A, C, E

QUESTION: 59

Which of the following commands changes the source IP address to 192.0.2.11 for all IPv4 packets which go through the network interface eth0?

- A. iptables -t nat -A POSTROUTING -o eth0 -j SNAT -to-source 192.0.2.11
- B. iptables -t nat -A PREROUTING -i eth0 -j SNAT -to-source 192.0.2.11
- C. iptables -t nat -A POSTROUTING -i eth0 -j DNAT -to-source 192.0.2.11
- D. iptables -t mangle -A POSTROUTING -i eth0 -j SNAT -to-source 192.0.2.11

E. iptables -t mangle -A POSTROUTING -o eth0 -j SNAT -to-source 192.0.2.11

Answer: A

QUESTION: 60

What option of mount.cifs specifies the user that appears as the local owner of the files of a mounted CIFS share when the server does not provide ownership information? (Specify ONLY the option name without any values or parameters.)

Answer: uid=arg <http://linux.die.net/man/8/mount.cifs>

For More exams visit <https://killexams.com/vendors-exam-list>



Kill your exam at First Attempt....Guaranteed!